

Referencias:

- Barlow, D. H. (1997). Cognitive-behavioral therapy for panic disorder: current status. *J Clin Psychiatry*, 58 (Suppl 2), 32-36.
- Barlow, D. H. & Craske, M. G. (2007). *Mastery of your anxiety and panic: Therapist Guide* (4th ed.). New York: Oxford University Press.
- Barlow, D. H., Gorman, J. M., Shear, M. K., & Woods, S. W. (2000). Cognitive-behavioral therapy, imipramine, or their combination for panic disorder: A randomized controlled trial. *JAMA*, 283, 2529-2536.
- Barrowclough, C., King, P., Colville, J., Russell, E., Burns, A., & Tarrier, N. (2001). A randomized trial of the effectiveness of cognitive-behavioral therapy and supportive counseling for anxiety symptoms in older adults. *J Consult Clin Psychol*, 69, 756-762.
- Black, D. W. (2006). Efficacy of combined pharmacotherapy and psychotherapy versus monotherapy in the treatment of anxiety disorders. *CNS Spectrums*, 11(Suppl 12), 29-33.
- Borkovec, T. D., Mathews, A. M., Chambers, A., Ebrahimi, S., Lytle, R., & Nelson, R. (1987). The effects of relaxation training with cognitive or nondirective therapy and the role of relaxation-induced anxiety in the treatment of generalized anxiety. *Journal of Consulting and Clinical Psychology*, 55, 883-888.
- Brown, T. A. & Barlow, D. H. (1995). Long-term outcome in cognitive-behavioral treatment of panic disorder: clinical predictors and alternative strategies for assessment. *J Consult Clin Psychol*, 63, 754-765.
- Butler, A. C., Chapman, J. E., Forman, E. M., & Beck, A. T. (2006). The empirical status of cognitive-behavioral therapy: A review of meta-analyses. *Clin Psychol Rev*, 26, 17-31.
- Butler, G., Fennell, M., Robson, P., & Gelder, M. (1991). Comparison of behavior therapy and cognitive behaviour therapy in the treatment of generalized anxiety disorder. *Journal of Consulting and Clinical Psychology*, 59, 167-175.
- Carter, M. M., Sbrocco, T. G., Kristie L., Marin, N. W., & Lewis, E. L. (2003). Cognitive-Behavioral Group Therapy Versus a Wait-List Control in the Treatment of African American Women With Panic Disorder. *Cogn Ther Res*, 27, 505-518.
- Clark, D. M. (1986). A cognitive approach to panic. *Behav Res Ther*, 24, 461-470.
- Craske, M. G., Golinelli, D., Stein, M. B., Roy-Byrne, P., Bystritsky, A., & Sherbourne, C. (2005). Does the addition of cognitive behavioral therapy improve panic disorder treatment outcome relative to medication alone in the primary-care setting? *Psychol Med*, 35, 1645-1654.
- Durham, R. C., Murphy, T., Allan, T., Richard, K., Treliving, L. R., & Fenton, G. W. (1994). Cognitive therapy, analytic psychotherapy

- and anxiety management training for generalised anxiety disorder. *Br J Psychiatry*, 165, 315-323.
- Durham, R. C., Chambers, J. A., MacDonald, R. R., Power, K. G., & Major, K. (2003). Does cognitive-behavioural therapy influence the long-term outcome of generalized anxiety disorder? An 8-14 year follow-up of two clinical trials. *Psychol Med*, 33, 499-509.
- Fernández, A., Haro, J. M., Codony, M., Vilagut, G., Martínez-Alonso, M., Autonell, J., et al. (2006). Treatment adequacy of anxiety and depressive disorders: primary versus specialised care in Spain. *J Affect Disord*, 96, 9-20.
- Gould, R. A., Otto, M. W., & Pollack, M. H. (1995). A meta-analysis of treatment outcome for panic disorder. *Clinical Psychology Review*, 15, 819-844.
- Goodwin, R. D., Hamilton, S. P., Milne, B. J. & Pine, D. S. (2002). Generalizability and correlates of clinically derived panic subtypes in the population. *Depression and Anxiety*, 15, 69-74.
- Haro, J. M., Palacín, C., Vilagut, G., Martínez, M., Bernal, M., Luque, I., et al. (2006). [Prevalence of mental disorders and associated factors: results from the ESEMeD-Spain study]. *Med Clin (Barc)*, 126, 445-451.
- Harvey, J. M., Richards, J. C., Dziadosz, T. & Swindell, A. (1993). Misinterpretation of ambiguous stimuli in panic disorder. *Cogn Ther Res*, 17, 235-248.
- Hofmann, S. G., & Smits, J. A. (2008). Cognitive-behavioral therapy for adult anxiety disorders: A meta-analysis of randomized placebo-controlled trials. *J Clin Psychiatry*, 69, 621-632.
- Hunsley, J. (2003). Cost effectiveness and medical cost-offset considerations in psychological service provision. *Canadian Psychology*, 44, 61-73.
- Katschnig, H., Amering, M., Stolk, J. M., Klerman, G. L., Ballenger, J. C., Briggs, A., et al. (1995). Long-term follow-up after a drug trial for panic disorder. *Br J Psychiatry*, 167, 487-494.
- Kenardy, J., Robinson, S., & Dob, R. (2005). Cognitive behaviour therapy for panic disorder: long-term follow-up. *Cogn Behav Ther*, 34, 75-78.
- Kessler, D., Lloyd, K., Lewis, G., & Gray, D.P. (1999). Cross sectional study of symptom attribution and recognition of depression and anxiety in primary care. *BMJ*, 318, 436-439.
- King, M., Nazareth, I., Levy, G., Walker, C., Morris, R., Weich, S., et al. (2008). Prevalence of common mental disorders in general practice attendees across Europe. *Br J Psychiatry*, 192, 362-367.
- Laakmann, G., Schule, C., Lorkowski, G., Baghai, T., Kuhn, K., & Ehrentraut, S. (1998). Buspirone and lorazepam in the treatment of generalized anxiety disorder in outpatients. *Psychopharmacology*, 136, 357-366.
- Labrador, F. J., Echeburúa, E. & Becoña, E. (2000). *Guía para la elección de tratamientos psicológicos. Hacia una nueva Psicología clínica*. Madrid: Dykinson.

- Ladouceur, R., Dugas, M. J., Freeston, M. H., Leger, E., Gagnon, F., & Thibodeau, N. (2000). Efficacy of a cognitive-behavioral treatment for generalized anxiety disorder: evaluation in a controlled clinical trial. *J Consult Clin Psychol*, 68, 957-964.
- Löwe, B., Gräfe, K., Zipfel, S., Spitzer, R.L., Herrmann-Lingen, C., Witte, S., et al. (2003). Detecting panic disorder in medical and psychosomatic outpatients: comparative validation of the Hospital Anxiety and Depression Scale, the Patient Health Questionnaire, a screening question, and physicians' diagnosis. *J Psychosom Res*, 55, 515-519.
- Margraf, J., Barlow, D. H., Clark, D. M. & Telch, M. J. (1993). Psychological treatment of panic: Work in progress on outcome, active ingredients, and follow-up. *Behav Res Ther*, 31, 1-8.
- McIntosh, A., Cohen, A., Turnbull, N., Esmonde, L., Dennis, P., Eatock, J., et al. (2004). *Clinical Guidelines and Evidence Review for Panic Disorder and Generalised Anxiety Disorder*. University of Sheffield/London: National Collaborating Centre for Primary Care.
- Mitte, K. (2005a). A meta-analysis of the efficacy of psycho- and pharmacotherapy in panic disorder with and without agoraphobia. *J Affect Disord*, 88, 27-45.
- Mitte, K. (2005b). Meta-analysis of cognitive-behavioral treatments for generalized anxiety disorder: A comparison with pharmacotherapy. *Psychological Bulletin*, 131, 785-795.
- Nadiga, D. N., Hensley, P. L., & Uhlenhuth, E. H. (2003). Review of the long-term effectiveness of cognitive behavioral therapy compared to medications in panic disorder. *Depress Anxiety*, 17, 58-64.
- Ohaeri, J. U. (2006). The management of anxiety and depressive disorders: A review. *International Journal of Mental Health and Addiction*, 4, 103-118.
- Öst, L. G., Thulin, U., & Ramnero, J. (2004). Cognitive behavior therapy vs exposure in vivo in the treatment of panic disorder with agoraphobia. *Behav Res Ther*, 42, 1105-1127.
- Öst, L. G. & Westling, B. E. (1995). Applied relaxation vs cognitive behavior therapy in the treatment of panic disorder. *Behav Res Ther*, 33, 145-158.
- Otto, M. W., Pollack, M., H., & Maki, K. M. (2000). Empirically supported treatments for panic disorder: Costs, benefits, and stepped care. *J Consult Clin Psychol*, 68, 556-563.
- Otto, M. W., Smits, J.A.J., & Reese, H.E. (2004). Cognitive-behavioral therapy for the treatment of anxiety disorders. *Journal of Clinical Psychiatry*, 65(Suppl5), 34-41.
- Otto, M. W., Smits, J. A. J., & Reese, H. E. (2005). Combined psychotherapy and pharmacotherapy for mood and anxiety disorders in adults: Review and analysis. *Clinical Psychology: Science and Practice*, 12, 72-86.

- Pérez-Álvarez, M., & Fernández-Hermida, J. R. (2001). El grano y la criba de los tratamientos psicológicos. / Finding the kernel: Psychological treatments through the sieve. *Psicothema*, 13, 523-529.
- Pull, C. B. (2007). Combined pharmacotherapy and cognitive-behavioural therapy for anxiety disorders. *Current Opinion in Psychiatry*, 20, 30-35.
- Rubio, G. & Lopez-Ibor, J. J., Jr. (2007). What can be learnt from the natural history of anxiety disorders? *Eur Psychiatry*, 22, 80-86.
- Salkovskis, P. M., Hackmann, A., Wells, A., Gelder, M. G., & Clark, D. M. (2007). Belief disconfirmation versus habituation approaches to situational exposure in panic disorder with agoraphobia: A pilot study. *Beh Res Ther*, 45, 877-885.
- Schmidt, N.B., Lerew, D. R. & Trakowski, J. H. (1997). Body vigilance in panic disorder: Evaluating attention to bodily perturbations. *J Consult Clin Psychol*, 65, 214-220.
- Schmidt, N. B., Woolaway-Bickel, K., Trakowski, J., Santiago, H., Storey, J., Koselka, M., et al. (2000). Dismantling cognitive-behavioral treatment for panic disorder: questioning the utility of breathing retraining. *J Consult Clin Psychol*, 68, 417-424.
- Schmidt, N. B., Woolaway-Bickel, K., Trakowski, J. H., Santiago, H. T., & Vasey, M. (2002). Antidepressant discontinuation in the context of cognitive behavioral treatment for panic disorder. *Behav Res Ther*, 40, 67-73.
- Sharp, D. M., Power, K. G., Simpson, R. J., Swanson, V., & Anstee, J. A. (1997). Global measures of outcome in a controlled comparison of pharmacological and psychological treatment of panic disorder and agoraphobia in primary care. *Br J Gen Pract*, 47, 150-155.
- Stanley, M. A., & Beck, J. G. (2000). Anxiety disorders. *Clinical Psychology Review. Special Issue: Assessment and treatment of older adults*, 20, 731-754.
- Task Force on Promotion and Dissemination of Psychological Procedures (1993). *A report adapted by the APA Division 12 Board*. Washington: APA, 1-17.
- Telch, M.J., Lucas, J.A., Schmidt, N.B., Hanna, H., LaNae, T., & Lucas, R.A. (1993) Group cognitive-behavioral treatment of panic disorder. *Behav Res Ther*, 31, 279-287.
- Van Balkom, A. J., Bakker, A., Spinhoven, P., Blaauw, B. M., Smeenk, S., & Ruesink, B. (1997). A meta-analysis of the treatment of panic disorder with or without agoraphobia: a comparison of psychopharmacological, cognitive-behavioral, and combination treatments. *J Nerv Ment Dis*, 185, 510-516.
- Williams, J. M. G., Watts, F. N., MacLeod, C. & Mathews, A. (1997). *Cognitive psychology and emotional disorders* (2nd ed.). Chichester, England: Wiley.

Yates, W. R. (2005). Review of Generalized Anxiety Disorder- Advances in Research and Practice. *Annals of Clinical Psychiatry*, 17, 103-104.