

## REFERENCIAS BIBLIOGRÁFICAS

- Anglemyer, A., Horvath, T., y Rutherford, G. (2014). The accessibility of firearms and risk for suicide and homicide victimization among household members: a systematic review and meta-analysis. *Annals of Internal Medicine*, 160: 101.
- Angst, F., Stassen, H.H., Clayton, P.J., y Angst, J. (2002). Mortality of patients with mood disorders: follow-up over 34–38 years. *Journal of Affective Disorders*, 68:167–181.
- Anguiano, L., Mayer, D.K., Piven, M.L., y Rosenstein, D. (2012). A Literature Review of Suicide in Cancer Patients. *Cancer Nursing*, 35 (4): E14-E26. PMID 21946906. doi:10.1097/NCC.0b013e31822fc76c.
- Beautrais, A.L., Joyce, P.R., Mulder, R.T., Fergusson, D.M., Deavoll, B.J., y Nightingale, S.K. (1996). Prevalence and comorbidity of mental disorders in persons making serious suicide attempts: a case-control study. *American Journal of Psychiatry*, 153 (8):1009-1014.
- Bertolote, J.M., Fleischmann, A., De Leo, D., y Wasserman, D. (2004). Psychiatric Diagnoses and Suicide: Revisiting the Evidence. En *Crisis* (Hogrefe & Huber), 25 (4): 147-155. ISSN 2151-2396. PMID 15580849. doi:10.1027/0227-5910.25.4.147.
- Bostwick, J.M., y Pankratz, V.S. (2000). Affective disorders and suicide risk: a reexamination. *American Journal of Psychiatry*, 157(12): 1925-32.
- Brodsky, B.S., Oquendo, M., Ellis, S.P., Haas, G.L., Malone, K.M., y Mann, J.J. (2001). The relationship of childhood abuse to impulsivity and suicidal behavior in adults with major depression. *American Journal of Psychiatry*, 158: 1871.
- Brown, G.K., y Jager-Hyman, S. (2014). Evidence-based psychotherapies for suicide prevention: future directions. *American Journal of Preventive Medicine*, 47: 186–94.
- Calear, A.L., Christensen, H., Freeman, A., Fenton, K., Busby Grant, J., van Spijker, B., Donker, T. (2016). A systematic review of psychosocial suicide prevention interventions for youth. *European Child and Adolescent Psychiatry*, 25: 467–82.
- Campbell, G., Darke, S., Bruno, R., y Degenhardt, L. (2015). The prevalence and correlates of chronic pain and suicidality in a nationally representative sample. *Australian New Zealand Journal of Psychiatry*, 49:803 .
- Cavanagh, J.T., Carson, A.J., Sharpe, M., Lawrie, S.M. (2003). Psychological autopsy studies of suicide: a systematic review. *Psychological Medicine*, 33(3):395-405.
- Centers for Disease Control and Prevention, National Center for Injury Prevention and Control. (2014). *Web-based Injury Statistics Query and Reporting System* (WISQARS) [online]. Recuperado de: <http://www.cdc.gov/injury/wisqars/index.html>
- Chehil, S., Kutcher, S., y Stanley P. (2012). *Suicide Risk Management: A Manual for Health Professionals* (2<sup>a</sup> edición). Wiley. ISBN 978-1-119-95311-1.
- Chen, Z., Zhang, Y., Liu, Z., Liu, Y., Dyregrov, A. (2012). Structure of the Children's Revised Impact of Event Scale (CRIES) with children and adolescents exposed to debris flood. *PLoS One*, 7 (8): e41741. doi: 10.1371/journal.pone.0041741.
- Christensen, H., Calear, A.L., Van Spijker, B., Gosling, J., Petrie, K., Donker, T., y Fenton, K. (2014). Psychosocial interventions for suicidal ideation, plans, and attempts: A database of randomised controlled trials. *BMC Psychiatry*, 14: 86.

Christi, P., Stone, D.H., Corcoran, P., Williamson, E., y Petridou, E. (2003). EUROSAGE Working Group. Suicide mortality in the European Union. *European Journal of Public Health*, 13: 108-114.

Cox, L., William T., Abramson, L.Y., Devine, P.G., y Hollon, S.D. (2012). Stereotypes, Prejudice, and Depression: The Integrated Perspective. *Perspectives on Psychological Science*, 7 (5): 427-449. doi: 10.1177/1745691612455204.

De Leo, D., Bertolote, J.M., y Lester, D. (2002). Self-directed violence. En: Krug, E.G., Dahlberg, LL., Mercy, J.A., Zwi, A.B., y Lozano, R. (eds.). *World Report on violence and health* (p. 183-212). Geneva: World Health Organization.

European Union (2008). *European Pact for Mental Health and Wellbeing*. Eu High-Level Conference. Together For Mental Health And Wellbeing. Brussels, 12-13 june Disponible en: [http://ec.europa.eu/health/ph\\_determinants/life\\_style/mental/docs/pact\\_en.pdf](http://ec.europa.eu/health/ph_determinants/life_style/mental/docs/pact_en.pdf)

Fawcett, J., Scheftner, W.A., Fogg, L., Clark, D.C., Young, M.A., Hedeker, D., y Gibbons, R. (1990). Timerelated predictors of suicide in major affective disorder. *American Journal of Psychiatry*, 147: 1189-1194.

Fawcett, J., Busch, K.A., Jacobs, D., Kravitz, H.M., y Fogg, L. (1997). Suicide: a four-pathway clinical-biochemical model. *Annals of the New York Academy of Sciences*, 29; 836: 288-301.

FSME (2017). *Suicidios España 2016*. Observatorio del Suicidio en España. Disponible en: <https://www.fsme.es/observatorio-del-suicidio-2016/>

Giner, L. y Guija, J.A. (2014). Número de suicidios en España: Diferencias entre los datos del Instituto Nacional de Estadística y los aportados por los institutos de Medicina Legal. *Revista de Psiquiatría y Salud Mental*, 7(3): 139-146.

Goldney, R.D. (2005). Suicide prevention: a pragmatic review of recent studies. *Crisis*, 26 (3): 128-140.

Goldsmith, S.K., Pellmar, T.C., Kleinman, A.M., y Bunney, W.E., (eds.) (2002). *Reducing suicide: A national imperative*. The National Academies Press; Washington, DC.

Harris, E.C., y Barraclough, B. (1997). Suicide as an outcome for mental disorders. A meta-analysis. *British Journal of Psychiatry*, 170:205-28.

Hawton, K., y van Heeringen, K. (2009). Suicide. *The Lancet*, 373 (9672):1372.

Henriksson, M.M., Aro, H.M., Marttunen, M.J., Heikkinen, M.E., Isometsa, E.T., Kuoppasalmi, K.I., y Lonnqvist, J.K. (1993). Mental disorders and comorbidity in suicide. *American Journal of Psychiatry*, 150:935-940.

Hill, R., Castellanos, D. y Pettit, J. (2011). Suicide-related behaviors and anxiety in children and adolescents: a review. *Clinical Psychology Review*, 31 (7), 1133-1144.

Isometsä, E. (2014). Suicidal Behaviour in Mood Disorders—Who, When, and Why? *Canadian Journal of Psychiatry*, 59(3): 120-130. doi: 10.1177/070674371405900303.

Jiménez, J., Martín, S., Navío, M., Pacheco, T., Pérez-Íñigo, J.L., Petersen, G., Robles, J.I., Santiago, P., Tébar, I., Torras, A., y Villoria, L. (2017). *iNo estás solo! Guía para la detección y prevención de la conducta suicida. Dirigida a profesionales sanitarios y facilitadores sociales*. Salud Madrid. Comunidad de Madrid.

Jobes, D.A., Au, J.S. y Siegelman, J.S. (2015). Psychological Approaches to Suicide Treatment and Prevention. *Current Treatment Options Psychiatry*, 2: 363. <https://doi.org/10.1007/s40501-015-0064-3>

Kovess-Masfety, V., Boyd, A., Haro, J.M., Bruffaerts, R., Villagut, G., Lépine, J.P., Gasquest, J., y Alonso, J. (2011). High and low suicidality in Europe: a fine-grained comparison of France and Spain within the ESEMeD surveys. *Journal of Affective Disorders*, 133(1-2): 247-256. Disponible en: <http://www.ncbi.nlm.nih.gov/pubmed/21621264> doi: 10.1016/j.jad.2011.04.014.

Levin, J.D., Culkin, J., y Perrotto, R.S. (2001). *8. Chemical Dependency and Mental Health. Introduction to Chemical Dependency Counseling* (en inglés), pp. 150-152. ISBN 978-0-765-70289-0.

Manthorpe, J., y Iliffe, S. (2010). Suicide in later life: public health and practitioner perspectives. *International Journal of Geriatric Psychiatry* (John Wiley & Sons), 25 (12): 1230-1238. PMID 20104515. doi:10.1002/gps.2473.

Ministerio de Sanidad, Política Social e Igualdad (2012). Grupo de trabajo de la Guía de Práctica Clínica de Prevención y Tratamiento de la Conducta Suicida. Guía de Práctica Clínica de Prevención y Tratamiento de la Conducta Suicida. Plan de Calidad para el Sistema Nacional de Salud del Ministerio de Sanidad, Política Social e Igualdad. Agencia de Evaluación de Tecnologías Sanitarias de Galicia (avalia-t); 2012. Guías de Práctica Clínica en el SNS: Avaliat 2010/02. Disponible en: [http://www.guiasalud.es/GPC/GPC\\_481\\_Conducta\\_Suicida\\_Avaliat\\_compl.pdf](http://www.guiasalud.es/GPC/GPC_481_Conducta_Suicida_Avaliat_compl.pdf)

Murray, C.J.L., Vos, T., Lozano, R., Naghavi, M., Flaxman, A.D., Michaud, C., Ezzati, M., Shibuya, K., Salomon, J.A., Abdalla, S., Aboyans, V., Abraham, J., Ackerman, I., Aggarwal, R., Ahn, S.Y., Ali, M.K., AlMazroa, M.A., Alvarado, M., Anderson, H.R., Anderson, L.M., Andrews, K.G., Atkinson, C., Baddour, L.M., Bahalim, A.N., Barker-Collo, S., Barrero, L.H., Bartels, D.H., Basáñez, M.G., Baxter, A., y Bell, M.L. et al. (2012). Disability-adjusted life years (DALYs) for 291 diseases and injuries in 2 regions, 1990–2010: a systematic analysis for the Global Burden of Disease study 2010. *The Lancet*, 380 (9859):2197-2223. doi: 10.1016/S0140-6736(12)61689-4.

Neeleman, J., de Graaf, R., y Vollebergh, W. (2004). The suicidal process; prospective comparison between early and later stages. *Journal of Affective Disorders*, 82(1): 43-52.

NICE (National Institute for Clinical Excellence). (2004). Self-harm: the short-term physical and psychological management and secondary prevention of self-harm in primary and secondary care. London. NICE. Disponible en: <http://www.nice.org.uk/nicemedia/pdf/CG016NICEguideline.pdf>

Nock, M.K., Borges, G., Bromet, E.J., Alonso, J., Angermeyer, M., Beautrais, A., Bruffaerts, R...., Williams, D.R. (2008). Cross-national prevalence and risk factors for suicidal ideation, plans, and attempts. *British Journal of Psychiatry*, 192: 98-105.

Nock, M.K., Hwang, I., Sampson, N.A. y Kessler, R.C. (2010). Mental Disorders, Comorbidity and Suicidal Behavior: Results from the National Comorbidity Survey Replication. *Molecular Psychiatry*, 15(8): 868-876.

Nock, M.K., Green, J.G., Hwang, I., McLaughlin, K.A., Sampson, N.A., Zaslavsky, A.M., y Kessler, R.C. (2013). Prevalence, correlates, and treatment of lifetime suicidal behavior among adolescents: results from the National Comorbidity Survey Replication Adolescent Supplement. *JAMA Psychiatry*, 70 (3):300-10.

O'Carroll, P.W., Berman, A.L., Maris, R.W., Moscicki, E.K., Tanney, B.L., y Silverman, M.M. (1996). Beyond the Tower of Babel: a nomenclature for suicidology. *Suicide and Life-Threatening Behavior*, 26 (3):237-52.

O'Connor, R.C., y Nock, M.K. (2014). The psychology of suicidal behaviour. *The Lancet Psychiatry*, 1: 73-85.

Organización Mundial de la Salud. (2012). *Public Health action for the prevention of suicide [Acción de Salud Pública para la prevención del suicidio]*. Ginebra, Suiza: WHO.

Organización Mundial de la Salud. (2014). *Preventing suicide: A global imperative* [Prevención del suicidio: un imperativo global]. Ginebra, Suiza: WHO. Disponible en: [http://apps.who.int/iris/bitstream/10665/131056/1/9789241564779\\_eng.pdf?ua=1&ua=1](http://apps.who.int/iris/bitstream/10665/131056/1/9789241564779_eng.pdf?ua=1&ua=1)

Organización Mundial de la Salud. (2018). Suicidio. [Nota descriptiva]. Ginebra: Suiza: WHO. Disponible en: <http://www.who.int/es/news-room/fact-sheets/detail/suicide>

Saiz, P.A., García-Portilla, M.P., Bousoño, M., y Bobes, J. (2004). Programas para grupos de alto riesgo. Comportamientos suicidas, prevención y tratamiento. Barcelona: *Ars Médica*. 382-403.

Selva, G., Beller, F. y Carabal, E. (2005). Epidemiología del trastorno límite de la personalidad. En: Cervera, G., Haro, G. y Martínez-Raga, J. (2005). *Trastorno límite de la personalidad. Paradigma de la comorbilidad psiquiátrica*. Madrid: Editorial Médica Panamericana.

Sher, L. (2006)<sup>a</sup>. Alcoholism and suicidal behavior: a clinical overview. *Acta Psychiatrica Scandinavica*, 113(1): 13-22.

Sher, L. (2006)<sup>b</sup>. Alcohol consumption and suicide. *The Quarterly Journal of Medicine*, 99 (1): 57-61. PMID 16287907. doi:10.1093/qjmed/hci146.

Stuckler, D., Basu, S., Suhrcke, M., Coutts, A., y McKee, M. (2009). The public health effect of economic crises and alternative policy responses in Europe: an empirical analysis. *The Lancet*, 374 (9686): 315-323. PMID 19589588. doi:10.1016/S0140-6736(09)61124-7.

Silverman, M.M., Berman, A.L., Sanddal, M.D., O'Carroll, P.W., y Joiner, T.E. (2007). Rebuilding the Tower of Babel: A Revised Nomenclature for the Study of Suicide and Suicidal Behaviors. Part 1: Background, Rationale, and Methodology. *Suicide and Life-Threatening Behaviour*, 37(3):248-63.

Tintinalli, J., Stapczynski, J., Ma, J. O., Cline, D., Cydulka, R., y Meckler, G. (2010). *Tintinalli's Emergency Medicine: A Comprehensive Study Guide*, Seventh Edition (7 edición). McGraw Hill Professional. pp. 1940-1946. ISBN 978-0-071-48480-0.

Van Os, J. y Kapur, S. (2009). Schizophrenia. *The Lancet*, 374 (9690): 635-645. PMID 19700006. doi:10.1016/S0140-6736(09)60995-8.

Van Spijker, B.A., van Straten, A., Kerkhof, A.J., Hoeymans, N., y Smit, F. (2011). Disability weights for suicidal thoughts and non-fatal suicide attempts. *Journal of Affective Disorders*, 134 (1-3):341-7.